# 2024 FISH SALE

NAME:						
ADDRESS:						
CITY:			STATE:		ZIPCODE:	
EMAIL ADDRESS:					PHONE:	
FISH	SIZE	QUAN	JTITY	P	RICE	TOTAL PRICE
REGULAR BLUEGILL	1 <b>'</b> — 3 <b>'</b>			\$	0.75	
REGULAR BLUEGILL	3 <b>'</b> – 5 <b>'</b>				\$1.19	
HYBRID BLUEGILL	2 <b>'</b> — 4 <b>'</b>			\$	0.75	
HYBRID BLUEGILL	3 <b>'</b> - 5 <b>'</b>			•	\$1.19	
REDEAR	3 <b>'</b> – 4 <b>'</b>				\$1.19	
CHANNEL CATFISH	4 <b>'</b> – 6 <b>'</b>			\$	O.88	
CHANNEL CATFISH	6' - 8'			<b>6</b> 7	1.00	
LARGEMOUTH BASS	3 <b>'</b> — 4 <b>'</b>			0,	51.63	
BLACK CRAPPIE	3 <b>'</b> — 4 <b>'</b>			0,	31.44	
FATHEAD MINNOWS	l <b>'</b> — 3 <b>'</b>			\$12.19	P per lb.	
TRIPLOID GRASS CARP	8" — 11"			\$	13.75	
					TOTAL	

ORDER DEADLINE: APRIL 9, 2024, TUESDAY PICK-UP: APRIL 24, 2024, WEDNESDAY @ 2PM

PERMIT INFORMATION REQUIRED FOR TRIPLOID GRASS CARP										
TWP	SECTION	SECTION T			R POND			ACRES		
	OFFICE USE ONLY									
DATE RCVD	DATE RCVD CHECK #		CASH RCVD		RECEIPT #		REMINDER CALL			

ALL FISH WILL BE BAGGED & SEALED IN OXYGENATED WATER A 5 GALLON BUCKET TO SUPPORT THE BAGS IS RECOMMENDED



STEPHENSON COUNTY SOIL & WATER CONSERVATION DISTRICT

1620 SOUTH GALENA AVENUE

FREEPORT ILLINOIS 61032

815-235-2141 X3

#### REGULAR BLUEGILL

AVERAGE LENGTH AND WEIGHT BY AGE FOR BLUEGILL IN ILLINOIS									
Age	1	2	3	4	5	6	7		
Length	3.2"	4.6'	5.7'	6.6'	7.4'	8.4'	9.2'		
Weight	0.5 oz	1.0 oz	2.0 oz	3.0 oz	5.0 oz	7.5 oz	8.1 oz		

Bluegills play an important role in pond and lake management to keep crustacean and insect populations low, a single bluegill can eat up to six times its own weight in just one summer.

STOCKING RATE - 600 TO 1,000 PER SURFACE ACRE

## HYBRID BLUEGILL

The Hybrid Bluegill is a cross between a Male Bluegill and a Female Green Sunfish. Growth rates vary according to the specific cross, geographical location within the state, and competition for food and space within the pond. 30 – 50% of Hybrid Bluegills are recommended to be restocked every 3 years.

STOCKING RATE - 600 TO 1,000 PER SURFACE ACRE

#### **REDEAR**

AVERAGE LENGTH AND WEIGHT BY AGE FOR REDEAR IN ILLINOIS										
Age 1 2 3 4 5 6 7										
Length	5.2"	6.4"	7.1"	7.8"	9.2"	9.3"	9.5"			
Weight	2.0 oz	3.8 oz	4.6 oz	6.7 oz	10.0 oz	10.2 oz	10.7 oz			

The Redear with its rapid rate of growth has been stocked in combination with Bluegill into many private ponds and lakes throughout Illinois. It has also been stocked into many Department of Natural Resources lakes and ponds which annually produce many of the largest sunfish caught in Illinois.

STOCKING RATE - 600 TO 1,000 PER SURFACE ACRE

#### CHANNEL CATFISH

AVERAGE LENGTH AND WEIGHT BY AGE FOR CHANNEL CATFISH IN ILLINOIS										
Age 1 2 3 4 5 6 7 8 9 10								10		
Length	6.4"	9.6"	12.6"	14.3"	16.7"	18.5"	21.0"	22.6"	25.6"	26.6"
Weight	0.3 oz	0.5 oz	0.8 oz	1.3 oz	2.0 oz	3.0 oz	4.0 oz	5.5 oz	6.8 oz	8.0 oz

Because of their importance to sport fishermen and their adaptation to the small pond and lake environments, the channel catfish is an ideal small impoundment stocking selection.

STOCKING RATE - 100 TO 200 PER SURFACE ACRE

## LARGEMOUTH BASS

AVERAGE LENGTH AND WEIGHT BY AGE FOR LARGEMOUTH BASS IN ILLINOIS										
Age	Age 1 2 3 4 5 6 7 8 9 10									
Length	6.3"	9.0"	11.6"	13.5"	15.8"	17.4"	18.9"	19.8"	20.3"	20.7"
Weight	0.1 oz	0.4 oz	0.8 oz	1.1 oz	2.0 oz	2.5 oz	3.0 oz	4.0 oz	5.0 oz	5.5 oz

The Largemouth Bass can live and thrive under a wide variety of environmental conditions throughout Illinois. The Largemouth Bass is universally used in pond stocking and is our most effective predator.

STOCKING RATE - 100 TO 200 PER SURFACE ACRE

# BLACK CRAPPIES

AVERAGE LENGTH AND WEIGHT BY AGE FOR BLACK CRAPPIES IN ILLINOIS										
Age	Age 1 2 3 4 5 6 7									
Length	2.8	5.9	7.5	9.1	10.3	11.2	12.5			
Weight	0.15 oz	1.5 oz	3.1 oz	5.5 oz	8.5 oz	11.1 oz	15.5 oz			

Black Crappies are not recommended for stocking of any ponds less than 25 acres. Because of their tendency to overpopulate, they compete aggressively for available foods and space, often resulting in poor growth and/or stunting.

# FATHEAD MINNOWS

The Fathead Minnow is quite tolerant of turbid and low-oxygen water. Fathead Minnows should be stocked in new ponds. STOCKING RATE – 3,000 TO 5,000 PER SURFACE ACRE OR 12 TO 20 LBS. PER SURFACE ACRE

### TRIPLOID GRASS CARP

Triploid Grass Carp are considered a natural method for controlling aquatic vegetation and macro-algae. They prefer softer, pliable aquatic vegetation.

STOCKING RATE - 10 TO 12 PER SURFACE ACRE